

COVID-19 Sampling and Extraction Solution

Efficient sampling and accurate extraction



Biocomma Limited, founded in 2006, is a leading manufacturer of sample preparation, sample filtration and sample collection products, based on its three technology platforms of porous plastic filters, separation materials and precision injection molding. Biocomma is ISO9001:2015 certified and a National High and New Tech Enterprise.

Biocomma owns two subsidiaries, one R & D center and three manufacturing facilities supplying more than 1,500 products. For the past thirteen years, we have served over 4,000 customers and provided OEM and customization services for dozens of well-known brands around the world.


















Virus Transport and Preservation Medium



Order Information:

Cat.#	Description	Qty.
YVJ-TE	1*classic virus sampling tube (10 mL), containing 3 mL preservation medium, 1* pp fiber swabs	3mL/pcs, 50pcs/Box
YVJ-E	1*classic virus sampling tube, containing 3 mL preservation medium, no swab	3mL/pcs, 50pcs/Box
YMJ-TE	1* inactivated virus sampling tube (10 mL), containing 3 mL preservation medium (Inactivated), 1* PP fiber swabs	3mL/pcs, 50pcs/Box
YMJ-E	1* inactivated virus sampling tube, containing 3 mL preservation medium, no swab	3mL/pcs, 50pcs/Box

Virus DNA/ RNA Extraction Kit

Efficiently extract the COVID-19 RNA to avoid RNA degradation and reduce the probability of "false-negative"








Typical application 1:


Virus DNA was extracted from African swine fever virus (ASFV) positive serum using a pre-packed viral DNA/RNA extraction kit (Cat. No.: BNP027-2E). The results of qRT-PCR are shown below:



Typical application 2:


Oral swabs were collected and stored in classic/inactivated virus transport media, and samples were stored at 4° C for 0 and 3 days, Viral DNA/RNA extraction kits (Cat. No.: MNP027-1E) were used to remove oral swabs RNA was extracted and analyzed by electrophoresis as follows:

Lane1-2: RNA from classic transport medium after 0 days of storage Lane3-4: RNA from inactived transport medium after 0 days of storage Lane5-6: RNA from classic shipping medium after 3 days of storage Lane7-8: RNA from inactived transport medium after 3 days of storage



Order Information:

Cat. #	Description	Qty.
MNP027-1E	Virus DNA/RNA extraction kit (Spin Column)	50preps/box
BNP027-1E	Virus DNA/RNA extraction kit (Magnetic Bead)	50preps/box
BNP027-2E	Pre-packed Virus DNA/RNA extraction kit (M32, Magnetic beads)	32preps/box
BNP027-3E	Pre-packed Virus DNA/RNA extraction kit (M96, Magnetic beads)	96preps/box



Order information

Cat. #	Description	Qty.
ASD-01	Auto Sampler & Dispenser	1EA/Box

M32 Nucleic Acid Extraction Systems

automatic extraction of

scattered samples

Involute processing of Sample Preparation



Feature

- Small and lightweight, and can be operated in a biological safety cabinet
- The use of disposable extraction sleeves and ultraviolet sterilization lamps to avoid aerosol pollution from different batches and reduce operational risks
- Unique cockpit control panel UI design, easy to understand and operate
- Open platform, compatible with commercially available magnetic bead nucleic acid extraction kits.

Instrument parameters

Product Name	MOO Niveleie Asid Federation Contains	
Product Name	M32 Nucleic Acid Extraction Systems	
Model	M32	
Sample throughput	1-32	
Volume	20~1000 μL	
Consumable	96-well deep plate + magnetic rod cover	
Recovery	≥95%	
Purification hole difference(CV)	<3%	
Operation humidity	10%~90%	
Operation temperature	10°C~40°C	
	Lysis heating temperature: RT+5°C~125°C	
Heating temperature	Elution heating temperature: RT +5°C~125°C	
Vibration	Level 1-3 adjustable	
Disinfection and decontamination	UV light	
Reagent type	Magnetic bead nucleic acid extraction reagent	
Interface	Embedded integrated touch screen operation	
Program management	New, edit and delete, free and flexible editing and extraction programs	
Connector	USB	
Dimensions	400mm×420mm×440mm	
Power	AC110V/220V, 50Hz/60Hz, 750W	
Net weight 25 Kg		

Order information

Cat.#	Description	Qty.
NAES-32	Nucleic Acid Extraction Systems	1EA/Box

M96 Nucleic Acid Extraction Systems automatic extraction of high-throughput samples

Involute processing of Sample Preparation



- The unique sample cross-contamination control system effectively prevents sample contamination
- Multiple sample protection modes to reduce sample loss during use of the instrument
- The use of modular linear motion design makes it more convenient for users
- Open platform, compatible with commercially available magnetic bead nucleic acid extraction kits



Product name	M96 Nucleic Acid Extraction Systems	
Model	M96	
Sample throughput	1-96	
Volume	50~1000 μL	
Consumable	96-well deep plate + magnetic rod cover	
Recovery	≥98%	
Purification hole difference(CV)	<5%	
Operation humidity	30%~80%	
Operation temperature	10°C~40°C	
	Lysis heating temperature: RT+5°C~125°C	
Heating temperature	Elution heating temperature: RT +5°C~125°C	
Vibration	1-6 adjustable	
Disinfection and decontamination	UV light	
Reagent type	Magnetic bead nucleic acid extraction reagent	
Interface	Embedded integrated touch screen operation	
Program management	New, edit and delete, free and flexible editing and extraction programs	
Connector	USB	
Dimensions	76 cm*48 cm*57 cm	
Power	200-240V~/3.4A 50/60Hz	
Net weight 59kg		

Order information

Cat. #	Description	Qty.
NAES-96	Nucleic Acid Extraction Systems	1EA/Box





Sufficient release samples from swabs **Sample Mixing Helper**

Product Highlights:

- 2500 r/min, sufficient release samples from swabs
- Optional intermittent pulse blending mode, suitable for various samples
- Timing settings available, no need for manual guarding
- Double immobilization, long time mixing without displacement
- Matching Various specifications of centrifuge tube racks

Technical Parameter:

Part No. Parameter	BCM2500
Speed Range	500 ~ 2500 rpm
Accuracy of speed	±1 rpm
Amplitude	3.6 mm
Timer Range	0s ~ 99 H 59 M
Interval pause timing range	1 ~ 99 S
Interval operation timing range	1~ 999 S
Maximum Loading Capacity	4.5 kg
Input power	AC 100 ~ 230 V, 50/60 Hz
Capacity	75 W
Size (LxWxH)	426x246x474 mm

Order information

Cat.#	Description	Qty.
BCM2500	Multifunctional Vortexer	1/Box

Add: Ground FL, Bdg 12, Zhonghaixin Industrial Park, Ganli Six Rd, Jihua St, Long Gang Dist, ShenZhen, 518114 P.R.China.